





Higher Mathematics

Graph Transformations - Questions - 2013-2017

Marks are indicated in brackets after each question number


2013 Paper 1 Question 4, (2)

Which of the following shows the graph of  $y = 4\cos 2x - 1$ , for  $0 \leq x \leq \pi$ ?







2013 Paper 1 Question 11, (2)

The diagram shows a cubic curve with equation  $y = f(x)$ .




Which of the following diagrams could show the curve with equation  $y = -f(x - k)$ ,  $k > 0$ ?







2014 Paper 1 Question 11, (2)

The diagram shows part of the graph of  $y = f(x)$ .




Which of the following diagrams could be the graph of  $y = 2f(x) + 1$ ?



2015 Paper 1 Question 4, (3)


The diagram shows part of the graph of the function  $y = p \cos qx + r$ .



Write down the values of  $p$ ,  $q$  and  $r$ .

2015 Paper 1 Question 13, (1) (1) (3) (2)


The graph with equation  $y = f(x)$  passes through the point  $P(1, b)$  and cuts the  $y$ -axis at  $Q$  as shown in the diagram.



- (a) What is the value of  $b$ ?
- (b) (i) Copy the above diagram.  
On the same diagram, sketch the graph with equation  $y = f^{-1}(x)$ .
- (ii) Write down the coordinates of the images of  $P$  and  $Q$ .
- (c)  $R(3, 11)$  also lies on the graph with equation  $y = f(x)$ .  
Find the coordinates of the image of  $R$  on the graph with equation  $y = 4 - f(x + 1)$ .

2016 Paper 1 Question 15, (3) (1)

The diagram below shows the graph with equation  $y = f(x)$ , where  $f(x) = k(x-a)(x-b)^2$ .



- (a) Find the values of  $a$ ,  $b$  and  $k$ .
- (b) For the function  $g(x) = f(x) - d$ , where  $d$  is positive, determine the range of values of  $d$  for which  $g(x)$  has exactly one real root.